

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	455	(712/200).CQLS.	US-PGPUB; USPAT	OR	OFF	2008/06/09 09:06
L2	28	cach\$3 with ((revers\$3) with program\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/06/09 09:07
L3	8	cach\$3 with ((backward\$1 or revers\$3) near4 program\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/06/09 09:07
S1	386	(712/200).CQLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/11/25 15:20
S2	65	cache near4 (entr \$3 or segment\$1 or line\$1) near4 (reverse or backward\$1 or opposite\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/11/25 15:32
S3	62	cache near4 (entr \$3 or line\$1) near4 (reverse or backward\$1 or opposite\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/11/25 15:21
S4	3	(grow\$3 or append\$3 or insert\$3 or append\$3 or add \$3 or extend\$3) near4 (trace near4 (cache\$1 or buffer\$1)) near4 order\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/11/25 15:34

S5	12	(grow\$3 or append\$3 or insert\$3 or append\$3 or add \$3 or extend\$3) with (trace near4 (cache\$1 or buffer\$1)) with order\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/11/25 15:35
S6	72	(grow\$3 or append\$3 or insert\$3 or append\$3 or add \$3 or extend\$3) same (trace near4 (cache\$1 or buffer\$1)) same order\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/11/25 15:35
S7	62	cach\$3 near4 stack\$3 near4 order\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/11/25 15:57
S8	1	(trace near4 (cach\$3 or buffer \$3)) near4 stack \$3 near4 order \$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/11/25 16:01
S9	25	("4186438"   "4458310"   "4463424"   "4503501"   "5043885"   "5357623"   "5394531"   "5537635"   "5751993"   "5822562"   "5892937"   "5966726"   "6012126"   "6067608"   "6072830"   "6088767"   "6105103"   "6141731"   "6330556"   "6370619"   "6378043"   "6470419"	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/25 15:58

		"6493800"   "6507893"   "6542967").PN.				
S10	1	(trace near4 (cach\$3 or buffer \$3)) with stack \$3 with order\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/11/25 15:59
S11	36	(trace near4 (cach\$3 or buffer \$3)) with stack \$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/11/25 16:07
S12	22	(trace near4 (cach\$3 or buffer \$3)) near4 stack \$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/11/25 16:01
S13	870	trace near4 stack \$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/11/25 16:07
S14	19	trace near4 stack \$3 near4 order \$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/11/25 16:08
S15	43	(trace near4 stack\$3) with order\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/11/25 16:10
S16	223	trac\$3 near4 stack\$3 near4 stor\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/11/25 16:10
S17	3	trac\$3 near4 stack\$3 near4 stor\$3 near4 order\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/11/25 16:10
S18	400	(712/200).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/04/10 14:21
S19	416	(712/200).CCLS.	US-PGPUB; USPAT	OR	OFF	2007/04/10 14:25

S20	1	(cach\$3 or queue\$3) near4 instruction\$1 near4 ((reverse or backward\$1 or opposite) near4 (program\$4 or sequenc\$3 or order\$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/04/10 14:32
S21	5	((cach\$3 or queue\$3) near4 instruction\$1) with ((reverse or backward\$1 or opposite) near4 (program\$4 or sequenc\$3 or order\$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/04/10 15:03
S22	12	(trac\$3 near4 (cach\$3 or queue\$3) near4 instruction\$1) with (loop\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/04/10 15:36
S23	65	(trac\$3 near4 (cach\$3 or queue\$3)) with (loop\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/04/10 15:46
S24	0	(trac\$3 near4 (cach\$3 or queue\$3)) with (loop\$3 near4 un?roll\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/04/10 15:37
S25	0	(trac\$3 near4 (cach\$3 or queue\$3)) with (loop\$3 near4 roll\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/04/10 15:37
S26	41	(trace\$1 near4 (cach\$3 or queue\$3)) with (loop\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/04/10 16:17
S27	43	trace\$1 with cach\$3 with (loop\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/04/10 16:19

S28	0	trace\$1 with cach\$3 with loop\$3 with un?roll\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/04/10 16:22
S29	0	(trace\$1 with cach\$3) same (loop\$3 with un?roll\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/04/10 16:20
S30	14	(trace\$1 with cach\$3) same (loop\$3 with unroll\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/04/10 16:20
S31	11	trace\$1 with cach\$3 with loop\$3 with unroll\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/04/10 16:24
S32	11	trace\$1 with cach\$3 with backward\$1 with (jump\$3 or branch\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/04/10 16:27
S33	21	(trace\$1 with cach\$3) same (backward\$1 with (jump\$3 or branch\$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/04/10 16:27
S34	429	(712/200).OCLS.	US-PGPUB; USPAT	OR	OFF	2007/09/27 11:48
S35	2	cach\$3 near4 (revers\$3 near4 program\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/09/27 12:01
S36	0	cach\$3 near4 (backward\$1 near4 program\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/09/27 12:01
S37	8	cach\$3 with ((backward\$1 or revers\$3) near4 program\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/09/27 12:07
S38	45	cach\$3 with ((backward\$1 or revers\$3) with program\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/09/27 12:11

S39	26	cach\$3 with ((\revers\$3) with program\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/09/27 12:11
S40	26	cach\$3 with ((revers\$3) with program\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/09/27 12:11

6/ 9/ 08 9:09:49 AM

C:\Documents and Settings\ALi\My Documents\EAST\Workspaces\09708722.wsp